

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name SAMPLEREPORT,FRICE	Patient ID SA00059095	Age 42	Gender M	Order # SA00059095	
Ordering Phys	3A00039093	SA00039093   42   W			
CLIENT,CLIENT Client Order #	Account Information			Report Notes	
SA00059095 Collected	C7028846-DLMP Roch	ester			
06/16/2013 20:18 <b>Printed</b>	3050 Superior Drive Rochester, MN 55901				
06/18/2013 15:33	,				

	Test	Flag	Results	Unit	Reference Value	Perform Site*
Rice IgG			<2.0	mcg/mL	<2	Y16

RECEIVED: 06/17/2013 15:41 REPORTED: 06/17/2013 17:32

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. \* This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

\* Performing Site:

Y165 Viracor IBT Laboratories, Interface
1001 NW Technology Dr Lee's Summit, MO 64086
Lab Director:

Patient Name	Collection Date and Time	Report Status		
SAMPLEREPORT,FRICE	06/16/2013 20:18	Final		
Page 1 of 1	** Reprinted **	** End of Report **		