

TEST UPDATE
REFERRAL
NOTIFICATION DATE: June 24, 2013

EFFECTIVE DATE: July 25, 2013

DRUGS OF ABUSE SCREEN, 10 PANEL, MECONIUM

Test ID: FMP10

Secondary ID: 57505

NOTE: Effective with this change, all orders placed for this test must be submitted in the alpha-numeric character Test ID format instead of the numeric Secondary ID. Result codes may also be subject to change. Please review Test Set-Up and Conversion Mapping information at: <http://www.mayomedicallaboratories.com/test-notifications/index.html>

EXPLANATION: Effective July 25, 2013, Test ID – FMP10, referred to Medtox Laboratories, Inc., will reflect the following test changes:

CURRENT REFLEX TESTS:

Test ID	Reporting Name	Available Separately	Always Performed
FMAC	Meconium Amphetamine Conf.	No	No
FMBC	Meconium Barbiturate Conf.	No	No
FMBZC	Meconium Benzodiazepine Conf.	No	No
FMCMC	Meconium Cocaine Conf.	No	No
FMOPC	Meconium Opiate Conf.	No	No
FMOXC	Meconium Oxycodone Conf.	No	No
FMPC	Meconium Phencyclidine Conf.	No	No
FMCTC	Meconium Carboxy-THC Conf.	No	No
FMMC	Meconium Methadone Conf.	No	No
FMPXC	Meconium Propoxyphene Conf.	No	No

NEW REFLEX TESTS:

Test ID	Reporting Name	Available Separately	Always Performed
FMAC	Meconium Amphetamine Conf.	No	No
FMBC	Meconium Barbiturate Conf.	No	No
FMCMC	Meconium Cocaine Conf.	No	No
FMOPC	Meconium Opiate Conf.	No	No
FMOXC	Meconium Oxycodone Conf.	No	No
FMPC	Meconium Phencyclidine Conf.	No	No
FMCTC	Meconium Carboxy-THC Conf.	No	No
FMMC	Meconium Methadone Conf.	No	No
FMPXC	Meconium Propoxyphene Conf.	No	No
FMBDC	Meconium Benzodiazepine Conf.	No	No

CURRENT METHODOLOGY: Immunoassay (IA); Gas Chromatography/Mass Spectrometry (GC/MS); Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)

NEW METHODOLOGY: Immunoassay (IA); Chromatography/with Mass Spectrometry

QUESTIONS: Contact Mary Erath, MML Laboratory Technologist Resource Coordinator
Telephone: 800-533-1710