

<b>Patient Name</b> SAMPLEREPORTS,LEBVB NORMAL	<b>Patient ID</b> NA00025167	<b>Age</b> 7	<b>Gender</b> M	<b>Order #</b> NA00025167
<b>Ordering Phys</b>				<b>DOB</b> 05/05/2005
<b>Client Order #</b> NA00025167	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 10/11/2012 10:00	C7028847-DLMP New England SDSC 2 - Client Support			
<b>Printed</b> 06/28/2013 09:31	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Epstein-Barr Virus PCR, B		Negative		Negative	NEL
<b>RECEIVED:</b> <b>REPORTED:</b> 10/11/2012 09:07 Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

\* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.
-----	---	-------------------------------------

<b>Patient Name</b> SAMPLEREPORTS,LEBVB NORMAL	<b>Collection Date and Time</b> 10/11/2012 10:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT