MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

7/17/2013

MML Name/order code cross-reference
Code Name
---- ----------
5203 Surg Path, Level III, Wet Ts

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Perform Print normals (# coded)	Site *
5203	7/31/2009		Surg Path, Level III, Wet Ts			MCR

Transport temp : Ambient\Refrig OK\Frozen NO

18358 Accession Number
- - - - -
18359 Referring Pathologist/Physician
- - - - -
18360 Ref Path/Phys Address
- - - - -
18361 Place of Death:
- - - - -
18362 Date and Time of Death:
- - - - -
18363 Date of Autopsy:
- - - - -
18364 Specimen:
- - - - -
18365 Material:
- - - - -
18366 Tissue Description:
- - - - -
18367 Microscopic Description:
- - - - -
18368 Clinical History:
- - - - -
18369 Frozen Diagnosis:
- - - - -

MML MML Test setup information

ORDER CODE	EFF DATE	TC	TITLE	Checking Normals	Perform Print normals (# coded)	Site *
5203 (continued)						
		18370	Final Diagnosis:			
			- - - - -			
		18995	Final Diagnosis:			
			- - - - -			
		18371	Comment:			
			- - - - -			
		18372	Revision Description:			
			- - - - -			
		18373	Signing Pathologist:			
			- - - - -			
		18374	Special Procedures:			
			- - - - -			
		18375	SP Signing Pathologist:			
			- - - - -			
		18376	*Previous Report Follows*			
			- - - - -			
		18377	Addendum:			
			- - - - -			
		19191	Addendum Comment:			
			- - - - -			
		18378	Addendum Pathologist:			
			- - - - -			

- -

*Performing Site Legend

==========

MCR Mayo Clinic Labs-Roch Main Campus LAB DIRECTOR: Franklin R. Cockerill, III, M.D.
200 First Street SW
Rochester, MN 55905

==========

MML Messages used as normals

CODE	TEXT

Total of 0 normals codes

*** End of Report ***