

Laboratory Service Report

1-800-533-1710

Patient Name SAMPLEREPORTS,CMVQU	Patient ID NA00025956	Age 23	Gender M	Order # NA00025956	
Ordering Phys CLIENT,CLIENT				DOB 05/05/1990	
Client Order # NA00025956	Account Information			Report Notes	
Collected 07/16/2013 08:26	C7028847-DLMP Nev SDSC 2 - Client Supp	ort			
Printed 07/18/2013 14:09	Rochester, MN 55901				

Test Flag Results Unit Reference Value Site*

CMV DNA Detect/Quant, P AB 1500 IU/mL Undetected NEL

RECEIVED: 07/16/2013 07:27 **REPORTED:** 07/16/2013 07:29

Result in log IU/mL is 3.18.

The quantification range of this assay is 137 to 9,100,000 IU/mL (2.14 log to 6.96 log IU/mL) with a limit of detection at 91 IU/mL (1.96 log IU/mL). Testing was performed by the COBAS AmpliPrep/COBAS TaqMan CMV Test (Roche Molecular Systems, Inc.).

* Performing Site:

NEL	Mayo Medical Laboratories New England 160 Dascomb Road Andover, MA 01810	Lab Director: Lynn A. Cheryk, Ph.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORTS,CMVQU	07/16/2013 08:26	Final
Page 1 of 1	** Reprinted **	** End of Report **