

<b>Patient Name</b> TEST,IMPLEMENTATION TESTING	<b>Patient ID</b> 321	<b>Age</b> 38	<b>Gender</b> M	<b>Order #</b> R1057834
<b>Ordering Phys</b> unknown				<b>DOB</b> 10/09/1974
<b>Client Order #</b> R1057834	<b>Account Information</b>  C7028845-DLMP Jacksonville SDSC 2 - Client Support Rochester, MN 55901			<b>Report Notes</b>
<b>Collected</b> 07/22/2013 09:00				
<b>Printed</b> 08/05/2013 15:14				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>25-Hydroxyvitamin D2 and D3, S</b>					
RECEIVED: 07/22/2013 09:13 REPORTED: 07/22/2013 10:27					
25-Hydroxy D2		10.0	ng/mL		MCF
25-Hydroxy D3		10.0	ng/mL		MCF
25-Hydroxy D Total		20.0	ng/mL		MCF
-- REFERENCE VALUE --					
25-HYDROXY D TOTAL (D2+D3) Optimum levels in the healthy population are 20-50, patients with bone disease may benefit from higher levels within this range.					

\* Performing Site:

MCF	Mayo Clinic Jacksonville Clinical Lab 4500 San Pablo Road Jacksonville, FL 32224	Lab Director: Gretchen Johns, M.D.
-----	---	------------------------------------

<b>Patient Name</b> TEST,IMPLEMENTATION TESTING	<b>Collection Date and Time</b> 07/22/2013 09:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT