

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,FSYG4 NORMAL	SA00060698	42	M	SA00060698
Ordering Phys CLIENT,CLIENT				DOB 11/09/1970
Client Order # SA00060698	Account Information	Account Information		Report Notes
Collected 08/13/2013 13:00	C7028846-DLMP Roches 3050 Superior Drive	ster		
Printed 08/15/2013 12:15	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Soybean IgG4		0.00	mcg/mL	<0.15	Y16

RECEIVED: 08/14/2013 11:18 REPORTED: 08/15/2013 10:02

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization to the food allergen in question. *This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration.

* Performing Site:

	VACE	Viracor IBT Laboratories, Interface	Lab Directory
1	Y165	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,FSYG4 NORMAL	08/13/2013 13:00	Final	
Page 1 of 1		** End of Report **	