

**Reporting Title:** Anti-Phosphatidylethanolamine Panel**Performing Location:** Cambridge Biomedica**Specimen Requirements:**

Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down and send 3 mL of serum frozen in a plastic vial.

Specimen Type	Temperature	Time
Serum	Frozen (preferred)	30 days
	Refrigerated	14 days

**Result Codes:**

Result ID	Reporting Name	Type	Unit	LOINC®
Z0150	Anti-Phosphatidylethanolamine IgG	Numeric	U/mL	13076-5
Z0142	Anti-Phosphatidylethanolamine IgM	Numeric	U/mL	13077-3
Z0143	Anti-Phosphatidylethanolamine IgA	Numeric	U/mL	13078-1

**CPT Code:** 3 × 83520**Reference Values:**

Anti-Phosphatidylethanolamine IgA  
Reference Range: <12.0 U/mL

Anti-Phosphatidylethanolamine IgG  
Reference Range: <12.0 U/mL

Anti-Phosphatidylethanolamine IgM  
Reference Range: <12.0 U/mL

Normal: <12.0  
Equivocal: 12.0 - 18.0  
Elevated: >18.0

Test Performed by: Cambridge Biomedical Inc.  
1320 Soldiers Field Rad  
Boston, MA 02135