

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name SAMPLEREPORT,FSED NORMAL	Patient ID SA00061881	Age 42	Gender M	Order # SA00061881
Ordering Phys CLIENT, CLIENT				<b>DOB</b> 11/09/1970
Client Order # SA00061881	Account Information			Report Notes
<b>Collected</b> 09/05/2013 13:00	C7028846-DLMP Roche 3050 Superior Drive	ester		
<b>Printed</b> 09/17/2013 14:58	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Sedative Hypnotic Panel, Urine RECEIVED: 09/06/2013 09:22 REPORTED: 09 Alcohol, Ethyl	/06/201	13 11:48 NEGATIVE			Y07 2
Barbiturates		NEGATIVE			Y07 2
Flunitrazepam		NEGATIVE			Y07 2
Benzodiazepines		NEGATIVE			Y07 2
Ethyl alcohol is screened by an oresults are confirmed by gas chromosomers are screened by immunoassation confirmed by gas chromatography (GC/MS). The following threshold for this analysis.	omatogi y; posi with ma	raphy (GC). Live results are ass spectrometry			
Drug Screening Threshold Ethyl alcohol 0.020 gm/dl Barbiturates 300 ng/ml Benzodiazepines 100 ng/ml Flunitrazepam 100 ng/ml Ketamine	d Co	onfirmation Threshold 0.020 gm/dl 100 ng/ml 75 ng/ml 300 ng/ml NEGATIVE			¥07 2
Gamma-Hydroxybutyric Acid (GHB)		NEGATIVE	ug/ml	NEGATIVE	Y07 2

## \* Performing Site:

V072	Medtox Laboratories, Inc.	Lab Director:	
10/2	402 W. County Road D St. Paul, MN 55112	Lab Director:	

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,FSED NORMAL	09/05/2013 13:00	Final	
Page 1 of 1		** End of Report **	

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT