

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT, FMECM NORMAL	SA00062728	0D	F	SA00062728
Ordering Phys CLIENT,CLIENT				DOB 09/23/2013
Client Order # SA00062728	Account Information			Report Notes
Collected 09/23/2013 00:00	C7028846-DLMP Rocheste SDSC 2 - Client Support			
Printed 10/03/2013 14:05	Rochester, MN 55901			

Test Flag Results Unit Reference Perform Value Site*

Meconium Methadone Screen

RECEIVED: 09/24/2013 11:37 **REPORTED:** 09/24/2013 12:26 Methadone NEGATIVE

Y07

THE SPECIMEN WAS SCREENED BY IMMUNOASSAY AT THE FOLLOWING THRESHOLD CONCENTRATION:

METHADONE: 300 ng/gm

POSITIVE RESULTS ARE CONFIRMED BY CHROMATOGRAPHY WITH MASS SPECTROMETRY (GC/MS) TO LIMIT OF DETECTION.

* Performing Site:

Y072 Medtox Laboratories, Inc.
402 W. County Road D St. Paul, MN 55112 Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT, FMECM NORMAL	09/23/2013 00:00	Final
Page 1 of 1	** Reprinted **	** End of Report **