MAYO CLINIC
Mayo Medical Laboratories

TEST DEFINITION

01/06/2014

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
800076(profile)            Toxoplasma Ab, IgM and IgG, S
   800078    11/26/2013    Toxoplasma Ab, IgM, S                                                 MCF
                   Transport temp : Refrig\Frozen OK\Ambient NO
                          Worklist : JC/TOXOM
                   800078   Toxoplasma Ab, IgM, S
                                  NO SEX
                              All Ages :                                ; Negative
                                  MALE
                              All Ages :                                ; Negative
                                  FEMALE
                              All Ages :                                ; Negative
                          -  -  -  -  -
                   801549   Toxoplasma IgM Value
                              Units: threshold
                                  NO SEX
                              All Ages :                                ; #N801549
                                  MALE
                              All Ages :                                ; #N801549
                                  FEMALE
                              All Ages :                                ; #N801549
                          -  -  -  -  -
   800077    11/6/2013     Toxoplasma Ab, IgG, S                                                 MCF
                   Transport temp : Refrig\Frozen OK\Ambient NO
                          Worklist : JC/TOXOG
                   800077   Toxoplasma Ab, IgG, S
                   (continued next page)
```

```
  ORDER      EFF                                                                          Perform
  CODE       DATE   TC     TITLE          Checking Normals              Print normals (# coded)  Site *
 ------      ----   ----   ----------     ----------------              -----------------------  -------
800076  (continued)
                   800077   Toxoplasma Ab, IgG, S  (continued)
                                  NO SEX
                              All Ages :                                ; Negative
                                  MALE
                              All Ages :                                ; Negative
                                  FEMALE
```

```
                                All Ages :                                ; Negative
                            -  -  -  -  -
                    801550   Toxoplasma IgG Value
                                Units: IU/mL
                                   NO SEX
                                All Ages :                                ; #N801550
                                   MALE
                                All Ages :                                ; #N801550
                                   FEMALE
                                All Ages :                                ; #N801550
                            -  -  -  -  -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -

*Performing Site Legend
==========================================================================================================================
==
MCF     Mayo Clinic Jacksonville Clinical Lab                LAB DIRECTOR:   Gretchen Johns, M.D.
        4500 San Pablo Rd
        Jacksonville, FL  32224
==========================================================================================================================
==

    *** End of Report ***
```

CODE	TEXT
N801549	<0.55 (Negative) 0.55 to <0.65 (Equivocal) >=0.65 (Positive)
N801550	<=9 IU/mL (Negative) 10-11 IU/mL (Equivocal) >=12 IU/mL (Positive)

Total of 2 normals codes

*** End of Report ***