



Patient ID SA00065426	Patient Name SAMPLEREPORT, FCIC ABNORMAL	Birth Date 1963-10-07	Gender M	Age 50
Order Number SA00065426	Client Order Number SA00065426	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 04 Feb 2014 00:00		

Circulating Immune Complexes (CIC)

Immune Complex

Y048

27.8 EU/mL

ADDITIONAL INFORMATION

Reference Range:

Negative	<20 EU/mL
Borderline/Equivocal	20-25 EU/mL
Positive	>25 EU/mL

This test has been developed and performance parameters have been validated by IMMCO Diagnostics, Inc. This test has not been approved by the U.S. Food and Drug Administration (FDA); however, USA FDA approval is not required for clinical use. It is not intended that clinical diagnosis and patient management decisions be made using these results alone.

This test has been validated using serum samples. The manufacturer has not determined the efficacy of this test when performed on CSF, plasma, joint or pleural fluid specimens. The performance characteristics of this test were determined by IMMCO Diagnostics Inc.

Received: 05 Feb 2014 08:17

Reported: 05 Feb 2014 08:18

Performing Site Legend

Code	Laboratory	Address
Y048	IMMCO Diagnostics, Inc.	640 Ellicott Street, 3rd Floor, Buffalo, NY 14203