

<b>Patient Name</b> SAMPLEREPORT,FECP NORMAL	<b>Patient ID</b> SA00065525	<b>Age</b> 43	<b>Gender</b> M	<b>Order #</b> SA00065525
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 11/09/1970
<b>Client Order #</b> SA00065525	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 02/06/2014 13:00	C7028846-DLMP Rochester SDSC 2 - Client Support			
<b>Printed</b> 03/13/2014 14:36	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Eosinophil Cationic Protein</b>					
RECEIVED: 02/07/2014 09:08 REPORTED: 03/03/2014 13:50					
Eosinophil Cationic Prot.		5	mcg/L	2-10	Y09 6

This test was performed using a kit that has not been approved or cleared by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics Nichols Institute, San Juan Capistrano. This test should not be used for diagnosis without confirmation by other medically established means.

\* Performing Site:

Y096	Quest Diagnostics Nichols Institute 33608 Ortega Highway San Juan Capistrano, CA 92690-6130	Lab Director:
------	--	---------------

<b>Patient Name</b> SAMPLEREPORT,FECP NORMAL	<b>Collection Date and Time</b> 02/06/2014 13:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT