

<b>Patient Name</b> SAMPLEREP,FFTPO NORMAL	<b>Patient ID</b> SA00065504	<b>Age</b> 35	<b>Gender</b> F	<b>Order #</b> SA00065504
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 06/04/1978
<b>Client Order #</b> SA00065504	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 02/05/2014 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support			
<b>Printed</b> 03/14/2014 14:41	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Thrombopoietin (TPO)		50	pg/mL	7-99	Y09 6

RECEIVED: 02/06/2014 14:47 REPORTED: 03/05/2014 16:02

This test was performed using a kit that has not been approved or cleared by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics Nichols Institute, San Juan Capistrano. This test should not be used for diagnosis without confirmation by other medically established means.

\* Performing Site:

Y096	Quest Diagnostics Nichols Institute 33608 Ortega Highway San Juan Capistrano, CA 92690-6130	Lab Director:
------	------------------------------------------------------------------------------------------------	---------------

<b>Patient Name</b> SAMPLEREP,FFTPO NORMAL	<b>Collection Date and Time</b> 02/05/2014 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT