

Patient Name SAMPLEREPORT,LFACX_ABNORMAL	Patient ID SA00066584	Age 29	Gender M	Order # SA00066584
Ordering Phys CLIENT,CLIENT				DOB 05/05/1984
Client Order # SA00066584	Account Information			Report Notes
Collected 03/28/2014 08:56	C7028846-DLMP Rochester SDSC 2 - Client Support			
Printed 03/28/2014 14:10	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
Cryptococcus Ag Titer, LFA, CSF	C	1:80		Negative	SDL
RECEIVED: 03/28/2014 09:01 REPORTED: 03/28/2014 09:15 CRITICAL RESULT The cryptococcal antigen detection method was changed from a latex agglutination (LA) test to a lateral flow immunoassay (LFA) test in May, 2014. End point titers are not interchangeable and do not correlate between the two methods. Providers should transition to monitoring end-point titers by the LFA method. End-point titer values by the LA method will be reported alongside the LFA titer result for comparison until August, 2014, at no charge. After this date, only the LFA titer will be performed. Latex Agglutination Titer: 1:8					
Fungal Culture, CSF		AB			MCR
RECEIVED: 03/28/2014 09:23 REPORTED: 03/28/2014 09:24 SOURCE: CEREBROSPINAL FLUID FUNGAL CULTURE, CSF FINAL CRYPTOCOCCUS NEOFORMANS Critical Result.					
Cryptococcus Ag w/Reflex, LFA, CSF					
RECEIVED: 03/28/2014 09:01 REPORTED: 03/28/2014 09:05 Cryptococcus Ag Screen w/Titer, CSF AB Positive Reflex testing has been ordered to establish a cryptococcal antigen titer.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:

Patient Name SAMPLEREPORT,LFACX_ABNORMAL	Collection Date and Time 03/28/2014 08:56	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT