



Patient ID SA00068116	Patient Name SAMPLEREPORT, FEGAT S	Birth Date 1970-11-09	Gender M	Age 43
Order Number SA00068116	Client Order Number SA00068116	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 29 Jun 2014 13:00		

Endomysial (EMA) antibody (IgG)

Endomysial (EMA) Ab (IgG) screen

Y048

<1:2.5 titer

REFERENCE VALUE

Negative: <1:2.5 titer
Positive: => 1:2.5 titer

ADDITIONAL INFORMATION

This test has been developed and performance parameters have been validated by IMMCO Diagnostics, Inc. This test has not been approved by the U.S. Food and Drug Administration (FDA); however, US FDA approval is not required for clinical use. It is not intended that clinical diagnosis and patient management decisions be made using these results alone.

This test has been validated using serum samples. The manufacturer has not determined the efficacy of this test when performed on CSF, plasma, joint or pleural fluid specimens. The performance characteristics of this test were determined by IMMCO Diagnostics Inc.

Received: 30 Jun 2014 11:43

Reported: 30 Jun 2014 11:46

Performing Site Legend

Code	Laboratory	Address
Y048	IMMCO Diagnostics, Inc.	640 Ellicott Street, 3rd Floor, Buffalo, NY 14203