

Patient ID SA00068216	Patient Name SAMPLEREPORT, FAGPP N	Birth Date 1970-11-09	Gender M	Age 43
Order Number SA00068216	Client Order Number SA00068216	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Jul 2014 13:00		

Aspergillus IgG Precipitins Panel

Aspergillus amstelodami/glaucus

Negative

Y165

 Reference Value
Negative

Aspergillus terreus

Negative

Y165

 Reference Value
Negative

Aspergillus flavus

Negative

Y165

 Reference Value
Negative

Aspergillus versicolor

Negative

Y165

 Reference Value
Negative

Aspergillus fumigatus Mix

Negative

Y165

 Reference Value
Negative

The gel diffusion method was used to test this patient's serum for the presence of precipitating antibodies(IgG) to the antigens indicated. These antibodies are serological markers for exposure and immunological sensitization. The clinical significance varies, depending on the history and symptoms. This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

Aspergillus nidulans

Negative

Y165

 Reference Value
Negative

Received: 07 Jul 2014 08:49

Reported: 07 Jul 2014 09:49

Aspergillus niger

Negative

Y165

 Reference Value
Negative

Performing Site Legend

Code	Laboratory	Address
Y165	Viracor-IBT Laboratories	1001 NW Technology Dr, Lee's Summit, MO 64086