

<b>Patient Name</b> SAMPLEREP, UHIST_NORMAL	<b>Patient ID</b> SA00067990	<b>Age</b> 30	<b>Gender</b> M	<b>Order #</b> SA00067990
<b>Ordering Phys</b> CLIENT, CLIENT				<b>DOB</b> 05/10/1984
<b>Client Order #</b> SA00067990	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 06/20/2014 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
<b>Printed</b> 07/15/2014 14:18				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Histoplasma Ag, U</b>					
Histoplasma Ag Result		Negative		Negative	SDL
No Histoplasma antigen detected. Repeat testing on a new sample if clinically indicated.					
Histoplasma Ag Value		0.00	ng/mL		SDL
-- REFERENCE VALUE --					
0.00 - 0.10 = Negative					
0.11 - 0.49 = Indeterminate					
>=0.50 = Positive					
Laboratory developed test					

**RECEIVED:** 06/20/2014 10:56 **REPORTED:** 06/20/2014 10:59

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP, UHIST_NORMAL	<b>Collection Date and Time</b> 06/20/2014 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT