

Patient Name SAMPLEREP, UHIST_ABNORMAL	Patient ID SA00067997	Age 30	Gender M	Order # SA00067997
Ordering Phys CLIENT, CLIENT				DOB 05/10/1984
Client Order # SA00067997	Account Information			Report Notes
Collected 06/20/2014 11:48	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
Printed 07/15/2014 14:19				

Test	Flag	Results	Unit	Reference Value	Perform Site*
MVista Histoplasma Ag, U					
Result:		See Below	ng/mL		Y07 6
Result: Below the Limit of Quantification					
Interpretation		Positive			Y07 6
Reference interval: None Detected					
Results reported as ng/mL in 0.4 - 19 ng/mL					
Results above the limit of detection but below 0.4 ng/mL are reported as 'Positive, Below the Limit of Quantification'					
Results above 19 ng/mL are reported as 'Positive, Above the Limit of Quantification'					

RECEIVED: 06/20/2014 11:48 REPORTED: 06/20/2014 11:48

Histoplasma Ag, U					
Histoplasma Ag Result	AB	Indeterminate		Negative	SDL
Confirmatory testing by the MVista Histoplasma Ag, U has been ordered. Diagnosis of histoplasmosis should be correlated with additional laboratory findings, including H. capsulatum serology and fungal culture.					
Histoplasma Ag Value		0.24	ng/mL		SDL
-- REFERENCE VALUE --					
0.00 - 0.10 = Negative					
0.11 - 0.49 = Indeterminate					
>=0.50 = Positive					
Laboratory developed test					

RECEIVED: 06/20/2014 11:33 REPORTED: 06/20/2014 11:33

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
Y076	MiraVista Diagnostics 4705 Decatur Blvd. Indianapolis, IN 46241	Lab Director:

Patient Name SAMPLEREP, UHIST_ABNORMAL	Collection Date and Time 06/20/2014 11:48	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT