

Laboratory Service Report

1-800-533-1710

MCR

Patient Name SAMPLEREPORT, VDER	Patient ID SA00041949	Age 45	Gender F	Order # SA00041949	
Ordering Phys				DOB 06/10/1966	
Client Order # SA00041949	Account Information			Report Notes	
Collected 01/03/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE				
Printed 01/05/2012 13:25	ROCHESTER,MN 559	901			

Reference Perform Test Flag Results Unit Value Site*

HSV and VZV PCR, Dermal

REPORTED 01/05/2012 09:40 CHEEK Specimen Source

Result Not applicable MCR

Negative for Herpes simplex type I and II DNA and Varicella zoster DNA.

Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site:

Mayo Clinic Dpt of Lab Med & Pathology MCR Lab Director: Franklin R. Cockerill, III, M.D. 200 First St SW Rochester, MN 55905

Patient Name SAMPLEREPORT,VDER	Collection Date and Time 01/03/2012	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT