

Patient Name SAMPLEREP, HCVQU	Patient ID SA00042251	Age 45	Gender F	Order # SA00042251
Ordering Phys				DOB 06/10/1966
Client Order # SA00042251	Account Information			Report Notes
Collected 01/18/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER, MN 55901			
Printed 01/19/2012 11:12				

Test	Flag	Results	Unit	Reference Value	Perform Site*
HCV RNA Detect/Quant, S		17700000	IU/mL	Undetected	SDL
Result in log IU/mL is 7.25. The quantification range of this assay is 43 IU/mL to 69,000,000 IU/mL (1.63 log IU/mL to 7.84 log IU/mL). Testing was performed by the COBAS AmpliPrep/COBAS TaqMan HCV Test (Roche Molecular Systems, Inc.).					

* Performing Site:

SDL	Mayo Clinic Dpt of Lab Med & Pathology Superior Dr 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	--	---------------

Patient Name SAMPLEREP, HCVQU	Collection Date and Time 01/18/2012	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT