

<b>Patient Name</b> SAMPLEREP,TCGR	<b>Patient ID</b> SA00043698	<b>Age</b> 45	<b>Gender</b> F	<b>Order #</b> SA00043698
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00043698	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 02/20/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
<b>Printed</b> 02/22/2012 16:28				

Test	Flag	Results	Unit	Reference Value	Perform Site*
HPGDE, DNA Extraction		Performed		REPORTED 02/21/2012 14:26	MCR
<b>T Cell Receptor Gene Rearrange, B</b>				REPORTED 02/22/2012 12:36	MCR
Aspirate:					
Final Diagnosis:					
Peripheral blood, T-cell receptor gene rearrangement analysis:					
Negative. No clonal T-cell receptor gene rearrangement was detected.					
Method summary - T-cell receptor gene rearrangement: Genomic DNA was extracted and a PCR-based assay performed using primers that bind the gamma and beta chain genes (see Mayo Medical Laboratories Interpretive Handbook for method details).					
Signing Pathologist: Melissa Tricker-Klar Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					
<b>T Cell Receptor Gene Rearrange PCR</b>		Performed		REPORTED 02/21/2012 14:26	MCR

## \* Performing Site:

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP,TCGR	<b>Collection Date and Time</b> 02/20/2012	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT