

Patient Name SAMPLEREPORT,FC7	Patient ID SA00045866	Age 22	Gender F	Order # SA00045866
Ordering Phys				DOB 05/16/1990
Client Order # SA00045866	Account Information			Report Notes
Collected 05/18/2012 10:15	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 05/22/2012 11:58				

Test	Flag	Results	Unit	Reference Value	Perform Site*
C7 Level		68.7	ug/mL	35.3 - 96.5	Y08 1

REPORTED 05/18/2012 10:19

This assay is used for clinical purposes and was developed and its performance characteristics determined by National Jewish Health. It has not been cleared or approved by the US Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.

* Performing Site:

Y081	National Jewish Health Advanced Diagnostic Laboratories 1400 Jackson Street	Lab Director:
------	--	---------------

Patient Name SAMPLEREPORT,FC7	Collection Date and Time 05/18/2012 10:15	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT