

Patient Name SAMPLEREP,AFPA	Patient ID SA00045831	Age 25	Gender F	Order # SA00045831
Ordering Phys				DOB 06/10/1986
Client Order # SA00045831	Account Information			Report Notes
Collected 05/15/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 05/17/2012 16:25				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Alpha Fetoprotein, AF				REPORTED 05/17/2012 16:04	
EDD by US Scan		10/18/12			SDL
GA at Collection by Scan		17,5	wk,d		SDL
GA Used		Scan estimate			SDL
Alpha Fetoprotein, AF		See Below			SDL
Result: 1.00 MoM (10.0 ug/mL)					
Results		Negative			SDL
Interpretation					SDL
Amniotic fluid AFP is within reference limits for the gestation provided.					
General Test Info					SDL
Please contact the genetic counselor or lab director on call at 1-800-533-1710, should you have questions regarding this report. Results are based upon analyte values and the clinical information provided; incorrect information may significantly change the results. The screen positive cut-off is 2.0 MoM.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP,AFPA	Collection Date and Time 05/15/2012	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT