MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,AFPA	SA00045830	25	F	SA00045830
Ordering Phys				**DOB** 06/10/1986
Client Order # SA00045830	**Account Information**			**Report Notes**
Collected 05/15/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 05/17/2012 16:25				

Test	Flag	Results	Unit	Reference Value	Perform Site*
			REPORTED 05/17/2012 16:12		
Acetylcholinesterase, AF		Negative		Not Present	MCR
Gestational Age (ACHE)		17,5			MCR
Polyacrylamide Electrophoresis					
Alpha Fetoprotein, AF			REPORTED 05/17/2012 16:12		
EDD by US Scan		10/18/12			SDL
GA at Collection by Scan		17,5	wk,d		SDL
GA Used		Scan estimate			SDL
Alpha Fetoprotein, AF		See Below			SDL
Result: 4.98 MoM (50.0 ug/mL)					
Results		***POSITIVE***			SDL
Interpretation					SDL
Amniotic fluid AFP exceeds 2.0 MoM cut-off.					
Additional Comments					SDL
Gel AChE determination can help to distinguish neural tube defects from other causes of raised AF-AFP					
General Test Info					SDL
Please contact the genetic counselor or lab director on call at 1-800-533-1710, should you have questions regarding this report. Results are based upon analyte values and the clinical information provided; incorrect information may significantly change the results. The screen positive cut-off is 2.0 MoM.					

* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director: Franklin R. Cockerill, III, M.D.
SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,AFPA	05/15/2012	Final
		** End of Report **

* Report times for Mayo performed tests are CST/CDT