MAYO CLINIC
Mayo Medical Laboratories

Laboratory Service Report 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,MAFP	SA00045821	25	F	SA00045821
Ordering Phys				**DOB** 06/10/1986
Client Order # SA00045821	**Account Information**			**Report Notes**
Collected 05/15/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 05/17/2012 16:28				

Test	Flag	Results	Unit	Reference Value	Perform Site*
AFP SINGLE MARKER SCRN, MATERNAL, S			REPORTED 05/17/2012 13:43		
Calculated age at EDD		26 years			SDL
Maternal Weight		135	lbs		SDL
Insulin dependent diabetes		None			SDL
Black race		non-Black			SDL
EDD by U/S scan		11-01-2012			SDL
GA on collection by U/S scan		15,5	wk,d		SDL
GA used in risk estimate		Scan estimate			SDL
AFP		See Below			SDL
Result: 4.55 MoM (150.0 ng/mL)					
INTERPRETATION		See Below			SDL
Result: SCREEN POSITIVE for neural tube defects.					
RECOMMENDED FOLLOW UP					SDL
Consider ultrasound and a genetic consultation.					
GENERAL TEST INFORMATION					SDL
This screening provides an estimation of risk, not a diagnosis. Incorrect or incomplete information may significantly alter results.					
Results may be unreliable in twin pregnancies with a fetal demise. Results are not available for pregnancies with triplets and higher-order multiples.					
A positive result occurs when the AFP MoM equals or exceeds 2.5.					
Screen results and family history influence individual risk. If there is a family history of a neural tube defect, chromosome abnormality, or other inherited condition, consider the option of a genetic consultation.					
For further information, please contact the maternal screening laboratory at 1-800-533-1710.					
Other Information		Initial testing			SDL

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,MAFP	05/15/2012	Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT