

Alpha-Fetoprotein (AFP), Single Marker  
 Screen, Maternal, Serum

Patient ID <b>SA00045821</b>	Patient Name <b>SAMPLEREPORT, MAFP</b>	Birth Date <b>1986-06-10</b>	Gender <b>F</b>	Age <b>25</b>
Order Number <b>SA00045821</b>	Client Order Number <b>SA00045821</b>	Ordering Physician <b>Client, Client</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>15 May 2012 00:00</b>		

## AFP SINGLE MARKER SCRIN, MATERNAL, S

<p><b>Calculated age at EDD</b> <span style="float: right;">SDL</span></p> <p>26 years</p> <p><b>Maternal Weight</b> <span style="float: right;">SDL</span></p> <p>135 lbs</p> <p><b>Insulin dependent diabetes</b> <span style="float: right;">SDL</span></p> <p>None</p> <p><b>Black race</b> <span style="float: right;">SDL</span></p> <p>non-Black</p> <p><b>EDD by U/S scan</b> <span style="float: right;">SDL</span></p> <p>11-01-2012</p> <p><b>GA on collection by U/S scan</b> <span style="float: right;">SDL</span></p> <p>15,5 wk,d</p> <p><b>GA used in risk estimate</b> <span style="float: right;">SDL</span></p> <p>Scan estimate</p> <p><b>AFP</b> <span style="float: right;">SDL</span></p> <p>4.55 MoM ( 150.0 ng/mL)</p> <p><b>INTERPRETATION</b> <span style="float: right;">SDL</span></p> <p>SCREEN POSITIVE for neural tube defects.</p>	<p><b>RECOMMENDED FOLLOW UP</b> <span style="float: right;">SDL</span></p> <p>Consider ultrasound and a genetic consultation.</p> <p><b>GENERAL TEST INFORMATION</b> <span style="float: right;">SDL</span></p> <p>This screening provides an estimation of risk, not a diagnosis. Incorrect or incomplete information may significantly alter results.</p> <p>Results may be unreliable in twin pregnancies with a fetal demise. Results are not available for pregnancies with triplets and higher-order multiples.</p> <p>A positive result occurs when the AFP MoM equals or exceeds 2.5.</p> <p>Screen results and family history influence individual risk. If there is a family history of a neural tube defect, chromosome abnormality, or other inherited condition, consider the option of a genetic consultation.</p> <p>For further information, please contact the maternal screening laboratory at 1-800-533-1710.</p> <p><b>Other Information</b> <span style="float: right;">SDL</span></p> <p>Initial testing</p> <p><b>Received:</b> 16 May 2012 14:15      <b>Reported:</b> 17 May 2012 13:43</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Performing Site Legend**

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901