





Hypersensitivity Pneumonitis IgG Antibodies,
Serum

Patient ID SA00048228	Patient Name SAMPLEREP, SAL ABN	Birth Date 1966-06-10	Gender F	Age 46
Order Number SA00048228	Client Order Number SA00048228	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 02 Aug 2012 13:00		



Hypersensitivity Pneum IgG Ab, S

Aspergillus fumigatus, IgG Ab, S

 **110 mg/L**


SDL
Reference Value
≤102

Thermoactinomyces vulgaris, IgG Ab



 **30.0 mg/L**


1 SDL
Reference Value
≤23.9


Received: 03 Aug 2012 11:20

Reported: 03 Aug 2012 11:23

Micropolyspora faeni, IgG Ab, S

 **20.0 mg/L**


1 SDL
Reference Value
≤13.2



Laboratory Notes

- 1 Analyte Specific Reagent: This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901