

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT, FXYLP NEGATIVE	SA00048866	41	M	SA00048866
Ordering Phys		•	•	DOB
				11/09/1970
Client Order #	Account Information		Report Notes	
SA00048866				
Collected	C7028846-DLMP ROC	CHESTER		
09/05/2012 13:00	3050 SUPERIOR DRIV	/E		
Printed	ROCHESTER,MN 559	01		
09/07/2012 10:27				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Xylene Exposure Panel, U Creatinine		1000	REPORTED 09	/06/2012 13:44	Y08 2
U.S. Population (10th-90th percent: All participants: 335 - 2370 mg/L, median: 1180 (n=2: Males: 495 - 2540 mg/L, median: 13' Females: 273 - 2170 mg/L, median 9: Reporting Limit	2,245) 70 (n=1	10,610)	mg/L		Y08
Methylhippuric Acid		None Detected	g/L		2 Y08 2
Synonym(s): Methylhippurate: Xylene Exposure to 100 ppm Xylene in air: produced urine concentrations of ap 3 g/L. Reporting Limit	for 8 l	hours,	q/L		Y08
Methylhippuric Acid (Creat correct) Synonym(s): Methylhippurate: Xylene		None Detected	g/g Creat		2 Y08 2
Following exposure to Xylene: Biological exposure index (ACGIH): 1.5 g Methylhippuric Acid/g Creating measured in an end of shift specime Reporting Limit	nine	0.020	g/g Creat		Y08 2

* Performing Site:

V000	NMS Labs	Lab Director
Y082	3701 Welsh Road PO Box 4334 Willow Grove PA 19090-0437	Lab Director:

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT, FXYLP NEGATIVE	09/05/2012 13:00	Final	
Page 1 of 1	** Reprinted **	** End of Report **	

^{*} Report times for Mayo performed tests are CST/CDT