

<b>Patient Name</b> SAMPLEREPORT,LIS	<b>Patient ID</b> SA00047797	<b>Age</b> 45	<b>Gender</b> F	<b>Order #</b> SA00047797
<b>Ordering Phys</b>				<b>DOB</b> 09/06/1966
<b>Client Order #</b> SA00047797	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 07/17/2012 12:00	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
<b>Printed</b> 09/25/2012 08:41				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Lithium, S</b>	CH	1.7	mmol/L	REPORTED 07/20/2012 08:38	MCR
-- REFERENCE VALUE -- 0.8 - 1.2 (Trough concentration-therapeutic concentration)  >1.6 (Toxic concentration, Automatic call-back)  There is no relationship between peak concentration and degree of intoxication.					

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,LIS	07/17/2012 12:00	Final
Page 1 of 1	** Reprinted **	** End of Report **

\* Report times for Mayo performed tests are CST/CDT