

<b>Patient Name</b> TESTING,82141	<b>Patient ID</b>	<b>Age</b>	<b>Gender</b>	<b>Order #</b> W2752547
<b>Ordering Phys</b>		<b>DOB</b>		
<b>Client Order #</b> W2752547	<b>Account Information</b> C7999998-STUSTEST 200 FIRST STREET SW ROCHESTER, MN 55901  (507)266-5730	<b>Report Notes</b>		
<b>Collected</b> 09/28/2009 06:00				
<b>Printed</b> 09/29/2009 09:15				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Mare's Milk, IgE</b>		<0.35	kU/L	REPORTED 09/28/2009 14:28	SDL
Class 0 (Negative <0.35) Analyte Specific Reagent This test was developed and its performance characteristics determined by Laboratory Medicine and Pathology, Mayo Clinic. This test has not been cleared or approved by the U.S. Food and Drug Administration.					

\* Performing Site:

SDL	Mayo Clinic Dpt of Lab Med & Pathology Superior Dr 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	--	--

<b>Patient Name</b> TESTING,82141	<b>Collection Date and Time</b> 09/28/2009 06:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT