

## **Laboratory Service Report**

## 1-800-533-1710

| Patient Name<br>SAMPLEREPORT,AIALAB199PT | Patient ID<br>SA00049295               | <b>Age</b> 36 | Gender<br>M | Order #<br>SA00049295 |
|--|--|---------------|-------------|-----------------------|
| Ordering Phys                            |  | ·             |             | <b>DOB</b> 06/06/1976 |
| Client Order #<br>SA00049295             | Account Information                    |               |             | Report Notes          |
| <b>Collected</b> 09/25/2012              | C7028846-DLMP ROC<br>3050 SUPERIOR DRI | VE            |             |                       |
| <b>Printed</b> 10/15/2012 15:49          | ROCHESTER,MN 559                       | 001           |             |                       |

Perform Reference Test Flag Results Unit Value Site\*

> REPORTED 09/26/2012 10:16 33

SDL

## CA 19-9, Peritoneal Fluid

A peritoneal fluid CA19-9 concentration >32 U/mL is suspicious but not diagnostic of a malignant source of the ascites. This cutoff yielded 49% sensitivity, 93% specificity in a study of 137 patients presenting with ascites. CA19-9 levels in peritoneal fluid are most informative when interpreted in conjunction with the CA19-9 serum levels. Tumor marker tests are not specific for malignancy. This test result should be interpreted in the context of clinical presentation, imaging and cytology findings. The testing method is an immunoenzymatic assay

manufactured by Beckman Coulter Inc. and performed on the UniCel DxI 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant

Site Left. SDL

## \* Performing Site:

| SDL | Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901 | Lab Director: Franklin R. Cockerill, III, M.D. |
|-----|--|--|

| Patient Name             | Collection Date and Time | Report Status       |
|--------------------------|--------------------------|---------------------|
| SAMPLEREPORT,AIALAB199PT | 09/25/2012               | Final               |
| Page 1 of 1              |                          | ** End of Report ** |

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT