

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT, BGAW	SA00048852	46	F	SA00048852
Ordering Phys		•	•	DOB
				06/10/1966
Client Order #	Account Information			Report Notes
SA00048852				
Collected	C7028846-DLMP ROC	CHESTER		
09/05/2012 14:18	3050 SUPERIOR DRIV	3050 SUPERIOR DRIVE		
Printed	ROCHESTER,MN 559	01		
10/17/2012 15:31				

Test	Flag Results	Unit	Reference Value	Perform Site*
		REPORTED 09/	05/2012 14:36	
Beta-Galactosidase, B	5.0	nmol/h/mL	>=5.0	MCR
Interpretation				MCR
In this specimen, the act:	ivity of beta-D-galactosidase i	S		
within the normal range. ?	This result indicates that this			
individual is not affected	d with GM1 gangliosidosis or			
Mucopolysaccharidosis type	e IVB (Morquio B). This test is			
not recommended for carrie	er detection screening.			
Fluorometric Enzyme Assay				
Reason for Referral	Not provided			MCR
Reviewed By	Marie Quade			MCR

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus	Lab Director: Franklin R. Cockerill, III, M.D.	$\rceil$

Patient Name	Collection Date and Time	Report Status	
SAMPLEREPORT,BGAW	09/05/2012 14:18	Final	
Page 1 of 1	** Reprinted **	** End of Report **	

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT