

Patient Name SAMPLEREP,CEA N	Patient ID M0002804	Age 40	Gender F	Order # M0002804
Ordering Phys				DOB 09/28/1971
Client Order # M0002804	Account Information			Report Notes
Collected 07/03/2012 14:19	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 10/16/2012 16:58				

Test	Flag Results	Unit	Reference Value
Carcinoembryonic Ag (CEA), S	2.5		REPORTED 09/13/2012 14:34 ng/mL
-- REFERENCE VALUE -- <=3.0 (Non-smokers) Some smokers may have elevated CEA, usually <5.0. The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel DxI 800. Values obtained with different assay methods or kits may be different and cannot be used interchangeably. Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.			

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.I
-----	---	---

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,CEA N	07/03/2012 14:19	Final
Page 1 of 1		** End of Report

* Report times for Mayo performed tests are CST/CDT