

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,CEA A	M0002805	40	F	M0002805
Ordering Phys				DOB 09/28/1971
Client Order # M0002805	Account Information C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE		Report Notes	
Collected 07/03/2012 14:20				
Printed 10/16/2012 16:58	ROCHESTER,MN 55	901		

Reference Test Flag Results Value

Carcinoembryonic Ag (CEA), S

9.5

REPORTED 09/13/2012 14:35 ng/mL

-- REFERENCE VALUE --<=3.0 (Non-smokers) Some smokers may have elevated CEA, usually <5.0.

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel DxI 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

* Performing Site:

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,CEA A	07/03/2012 14:20	Final
Page 1 of 1		** End of Report

^{*} Report times for Mayo performed tests are CST/CDT