



|   |  |  |                    |                  |
|---|--|--|--------------------|------------------|
| Patient ID<br><b>SA00046015</b>                       | Patient Name<br><b>SAMPLEREPORT, CHSBP A</b> | Birth Date<br><b>1971-09-28</b>          | Gender<br><b>F</b> | Age<br><b>40</b> |
| Order Number<br><b>SA00046015</b>                     | Client Order Number<br><b>SA00046015</b>     | Ordering Physician<br><b>KARON, BRAD</b> | Report Notes       |                  |
| Account Information<br><b>C7028846 DLMP Rochester</b> |  | Collected<br><b>06 Jun 2012 09:09</b>    |                    |                  |

## Chronic Hepatitis Profile (Type B)

### HBs Antigen, S



**Reactive**

Abn

HBsAg screen is reactive.  
S/CO ratio is  $\geq 1$  but  $\leq 50$ . Confirmatory test is required.

SDL

Reference Value  
Negative

### HBe Antibody, S



**Positive**

Abn

Received: 06 Jun 2012 09:09

Reported: 13 Sep 2012 10:04

SDL

Reference Value  
Negative

### Hepatitis Be Ag, S



**Positive**

Abn

If HBe antibody is positive, retesting for HBe antigen in 1 to 3 months is recommended.

SDL

Reference Value  
Negative

### HBs Antigen Confirmation, S



**Positive**

Abn

HBsAg screen was confirmed by neutralization.

SDL

Reference Value  
Negative

Received: 06 Jun 2012 09:09

Reported: 13 Sep 2012 10:04

### Performing Site Legend

| Code | Laboratory  | Address                                    |
|------|---|--|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 |