

<b>Patient Name</b> SAMPLEREP, BRUGM N	<b>Patient ID</b> SA00049996	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00049996
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00049996	<b>Account Information</b> C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER, MN 55901			<b>Report Notes</b>
<b>Collected</b> 10/22/2012				
<b>Printed</b> 10/23/2012 11:37				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Brucella Ab Screen, IgG and IgM, S</b>			REPORTED 10/23/2012 11:08		
Brucella Ab Screen, IgG, S		Negative		Negative	SDL
Brucella Ab Screen, IgM, S		Negative		Negative	SDL
Interpretation		Recommend repeat testing in 14-21 days if recent infection is suspected.			SDL

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP, BRUGM N	<b>Collection Date and Time</b> 10/22/2012	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT