

Patient Name SAMPLEREPORT,EHRCP N	Patient ID SA00050046	Age 46	Gender F	Order # SA00050046
Ordering Phys				DOB 06/10/1966
Client Order # SA00050046	Account Information			Report Notes
Collected 10/23/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 10/24/2012 09:18				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Ehrlichia Ab Panel					
Anaplasma phagocytophilum Ab, IgG,S		<1:64	titer	<1:64	SDL
Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					
Ehrlichia Chaffeensis (HME) Ab, IgG		<1:64	titer	<1:64	SDL
Analyte Specific Reagent. This test was developed and its performance characteristics determined by Mayo Clinic. It has not been cleared or approved by the U.S. Food and Drug Administration.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREPORT,EHRCP N	Collection Date and Time 10/23/2012	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT