

<b>Patient Name</b> SAMPLEREPORT,PROCT	<b>Patient ID</b> SA00050187	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00050187
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00050187	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 10/30/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
<b>Printed</b> 11/01/2012 08:41				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>DRVVT Confirmation</b>			REPORTED 10/31/2012 15:54		
DRVVT Confirm Ratio	H	1.5	ratio	0.0 - 1.1	MCR
<b>DRVVT Mix</b>			REPORTED 10/31/2012 15:54		
DRVVT Mix Ratio	H	1.5	ratio	0.0 - 1.1	MCR
<b>Coag Factor VIII Activity Assay, P</b>		100	REPORTED 10/31/2012 15:53	55 - 200	MCR
<b>Coag Factor V Assay, P</b>		100	REPORTED 10/31/2012 15:53	70 - 165	MCR
<b>Coag Factor X Assay, P</b>		100	REPORTED 10/31/2012 15:53	70 - 150	MCR
<b>Coag Factor XI Assay, P</b>		100	REPORTED 10/31/2012 15:53	55 - 150	MCR
<b>Coag Factor XII Assay, P</b>		100	REPORTED 10/31/2012 15:53	55 - 180	MCR
<b>Coag Factor II Assay, P</b>		100	REPORTED 10/31/2012 15:53	75 - 145	MCR
<b>Coag Factor VII Assay, P</b>		100	REPORTED 10/31/2012 15:53	65 - 180	MCR
<b>Coag Factor IX Assay, P</b>		100	REPORTED 10/31/2012 15:53	65 - 140	MCR
<b>Prolonged Clot Time Prof</b>			REPORTED 10/31/2012 15:56		
Prothrombin Time (PT), P	H	15.0	sec	10.3 - 12.8	MCR
INR		1.5			MCR
Activated Partial Thrombopl Time, P		35	sec	26 - 36	MCR
Dilute Russells Viper Venom Time, P					
DRVVT Screen Ratio	H	1.5	ratio	0.0 - 1.1	MCR
Thrombin Time (Bovine), P	H	30	sec	15 - 23	MCR
Fibrinogen, P		300	mg/dL	170 - 430	MCR
D-Dimer, P					
Fibrinogen Equivalent Units (FEU)	H	3.00	mcg/mL FEU	0.00 - 0.50	MCR
D-Dimer Units (DDU)	H	1500	ng/mL D-Dimer	0 - 250	MCR
Soluble Fibrin Monomer	H	50	mcg/mL	0.0 - 7.9	MCR
For research use only					

\*\*\*Performing Site Legend on Last Page of Report\*\*\*

<b>Patient Name</b> SAMPLEREPORT,PROCT	<b>Collection Date and Time</b> 10/30/2012	<b>Report Status</b> Final
Page 1 of 2		>> Continued on Next Page >>

\* Report times for Mayo performed tests are CST/CDT

<b>Patient Name</b> SAMPLEREPORT,PROCT	<b>Patient ID</b> SA00050187	<b>Age</b> 46	<b>Gender</b> F	<b>Order #</b> SA00050187
<b>Ordering Phys</b>				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00050187	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 10/30/2012	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
<b>Printed</b> 11/01/2012 08:41				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Special Coagulation Interpretation					
Interpretation					MCR
This is where the consultant interpretation will go.					
Reviewed by: See Below					MCR
Result: Dong Chen, M.D., Ph.D.					
<b>PT Mix 1:1</b>		12.0	sec	REPORTED 10/31/2012 15:54 10.3 - 12.8	MCR
<b>Reptilase Time, P</b>		20	sec	REPORTED 10/31/2012 15:54 14 - 23	MCR

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREPORT,PROCT	<b>Collection Date and Time</b> 10/30/2012	<b>Report Status</b> Final
Page 2 of 2		** End of Report **

\* Report times for Mayo performed tests are CST/CDT