

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #		
SAMPLEREPORT, ANCA	SA00049105	51	F	SA00049105		
Ordering Phys			•	DOB		
-				01/01/1961		
Client Order #	Account Information			Report Notes		
SA00049105						
Collected	C7028846-DLMP RO	CHESTER				
09/19/2012 07:00	3050 SUPERIOR DRI	3050 SUPERIOR DRIVE				
Printed	ROCHESTER,MN 559	01				
11/16/2012 15:51						

Test	Flag	Results	Unit	Reference Value	Perform Site*
Cytoplasmic Neutrophilic Ab, S			REPORTED 0:	9/27/2012 11:05	
c-ANCA	AB	Positive 1:16		Negative	MCR
p-ANCA	AB	Positive		Negative	MCR

Positive for cANCA pattern by immunofluorescence. Suggest further testing for anti-proteinase 3 (anti-PR3) antibodies, if clinically indicated.

## \* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus	Lab Director: Franklin R. Cockerill, III, M.D.

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT, ANCA	09/19/2012 07:00	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT