

Patient Name SAMPLEREP,25HDN	Patient ID SA00042550	Age 45	Gender F	Order # SA00042550
Ordering Phys				DOB 06/10/1966
Client Order # SA00042550	Account Information C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			Report Notes
Collected 01/22/2012				
Printed 01/23/2012 12:11				

Test	Flag	Results	Unit	Reference Value	Perform Site*
25-Hydroxyvitamin D2 and D3, S					
25-Hydroxy D2		75	ng/mL	REPORTED 01/23/2012 12:07	MCR
25-Hydroxy D3		90	ng/mL		MCR
25-Hydroxy D Total	H	165	ng/mL		MCR
Interpretation: >80 (toxicity possible) -- REFERENCE VALUE -- 25-HYDROXY D TOTAL (D2+D3) Optimum levels in the normal population are 25-80					

* Performing Site:

MCR	Mayo Clinic Dpt of Lab Med & Pathology 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

Patient Name SAMPLEREP,25HDN	Collection Date and Time 01/22/2012	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT