

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT,CA19	SA00052029	46	F	SA00052029
Ordering Phys				DOB
CLIENT, CLIENT			06/10/1966	
Client Order #	Account Information			Report Notes
SA00052029				
Collected	C7028846-DLMP ROC	CHESTER		
12/13/2012	3050 SUPERIOR DRIVE			
Printed	ROCHESTER,MN 559	901		
12/14/2012 14:17				

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel DxI 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.  $\,$ 

## \* Performing Site:

Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
---	--

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,CA19	12/13/2012	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT