



Patient ID SA00051621	Patient Name TESTINGRNV, HTGFN NORM	Birth Date 1972-06-14	Gender M	Age 40
Order Number SA00051621	Client Order Number SA00051621	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 05 Dec 2012 13:00		

Thyroglobulin, FNA, Lymph Node

Thyroglobulin, FNA, Lymph Node

0.5 ng/mL

SDL

Reference Value
≤1.0

Thyroglobulin values ≤1.0 ng/mL suggests the node does not contain differentiated follicular cell derived thyroid carcinoma. This result is dependent on accurate sampling and a total needle wash volume of ≤1.5 mL. This test should be interpreted in the context of the clinical presentation, imaging and cytology findings.

ADDITIONAL INFORMATION

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel Dxl 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Site

Right

SDL

Received: 06 Dec 2012 13:48

Reported: 06 Dec 2012 13:51

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901