

Patient Name SAMPLEREPORT,AHEPR N	Patient ID SA00024483	Age 46	Gender F	Order # SA00024483
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00024483	Account Information		Report Notes	
Collected 01/08/2013	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
Printed 01/09/2013 07:33				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Acute Hepatitis Prof w/HCV Reflex			REPORTED 01/09/2013 07:25		
HBs Antigen, S		Negative		Negative	SDL
Hepatitis A IgM Ab, S		Negative		Negative	SDL
HBc IgM Ab, S		Negative		Negative	SDL
HCV Ab Scrn w/Reflex to HCV PCR, S					
HCV Ab Screen, S		Negative		Negative	SDL
Signal-to-cutoff ratio is <1.00.					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREPORT,AHEPR N	Collection Date and Time 01/08/2013	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT