

Laboratory Service Report

1-800-533-1710

Patient Name TESTING,13035	Patient ID	Age	Gender	Order # W2748523	
Ordering Phys		DOB	DOB		
Client Order # W2748523	Account Information C7999998-STUSTEST	Report N	Report Notes		
Collected 09/28/2009 06:00	200 FIRST STREET SW ROCHESTER, MN 55901				
Printed 09/29/2009 08:51	(507)266-5730				

Test Flag Results Unit Value Site*

HIV-1 Quant with Reflex to Genotype

HIV-1 RNA Quantification, P

Undetected

REPORTED 09/28/2009 10:31 copies/mL

SDL

Quantification range of this assay is 48 to 10,000,000 copies/mL (1.68 to 7.00 log copies/mL).

Testing was done by the COBAS AmpliPrep/COBAS TaqMan HIV-1 Test (Roche Molecular Systems, Inc.).

* Performing Site:

SDL	Mayo Clinic Dpt of Lab Med & Pathology Superior Dr 3050 Superior Dr. NW Rochester, MN 55901	Lab Director: Franklin R. Cockerill, III, M.D.
-----	--	--

Patient Name	Collection Date and Time	Report Status
TESTING,13035	09/28/2009 06:00	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT