



Patient ID SA00053611	Patient Name SAMPLEREPOR, ELPN N	Birth Date 1966-06-10	Gender F	Age 46
Order Number SA00053611	Client Order Number SA00053611	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Feb 2013 00:00		

REVISED REPORT

Electrolyte Panel, S

Sodium, S

140 mmol/L

MCR
Reference Value
135–145

Chloride, S

102 mmol/L

MCR
Reference Value
100–108

Potassium, S

3.8 mmol/L

MCR
Reference Value
3.6–5.2

Bicarbonate, S

23 mmol/L

MCR
Reference Value
22–29

Creatinine with eGFR, S

Creatinine, S

0.8 mg/dL

MCR
Reference Value
0.6–1.1

eGFR-African American

>60 mL/min/BSA

MCR
Reference Value
>60

eGFR-Non African American

>60 mL/min/BSA

MCR
Reference Value
>60

Bld Urea Nitrog(BUN), S

9 mg/dL

MCR
Reference Value
6–21

Glucose, Random, S

75 mg/dL

MCR
Reference Value
70–140

REVISED Anion Gap

15

MCR
Reference Value
7–15

Received: 11 Feb 2013 15:01

Reported: 11 Feb 2013 15:23

Performing Site Legend

Code	Laboratory	Address
MCR	Mayo Clinic Dept. of Lab Med and Pathology	200 First Street SW, Rochester, MN 55905



Patient ID SA00053611	Patient Name SAMPLEREP, ELPN N	Birth Date 1966-06-10	Gender F	Age 46
Order Number SA00053611	Client Order Number SA00053611	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Feb 2013 00:00		

REVISED REPORT

Previously Reported As:

Electrolyte Panel, S

Anion Gap

Previously reported on 11 Feb 2013 at 15:23 as:

13

MCR
Reference Value
7-15

QA Environment

Performing Site Legend

Code	Laboratory	Address
MCR	Mayo Clinic Dept. of Lab Med and Pathology	200 First Street SW, Rochester, MN 55905