

<b>Patient Name</b> SAMPLEREP,CEA A	<b>Patient ID</b> M0002805	<b>Age</b> 40	<b>Gender</b> F	<b>Order #</b> M0002805
<b>Ordering Phys</b>				<b>DOB</b> 09/28/1971
<b>Client Order #</b> M0002805	<b>Account Information</b>			<b>Report Notes</b>
<b>Collected</b> 07/03/2012 14:20	C7028846-DLMP ROCHESTER 3050 SUPERIOR DRIVE ROCHESTER,MN 55901			
<b>Printed</b> 02/15/2013 14:14				

Test	Flag	Results	Unit	Reference Value	Perform Site*
<b>Carcinoembryonic Ag (CEA), S</b>	H	9.5	ng/mL	REPORTED 09/13/2012 14:35	SDL
<p>-- REFERENCE VALUE --            &lt;=3.0 (Non-smokers)            Some smokers may have elevated            CEA, usually &lt;5.0.</p> <p>The testing method is an immunoenzymatic assay            manufactured by Beckman Coulter Inc. and performed            on the UniCel DxI 800.</p> <p>Values obtained with different assay methods or kits            may be different and cannot be used interchangeably.</p> <p>Test results cannot be interpreted as absolute            evidence for the presence or absence of malignant            disease.</p>					

\* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREP,CEA A	<b>Collection Date and Time</b> 07/03/2012 14:20	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT