

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FSOYG	SA00052583	46	M	SA00052583	
Ordering Phys CLIENT,CLIENT		•	•	DOB 05/25/1966	
Client Order # SA00052583	Account Information			Report Notes	
Collected 01/08/2013	C7028846-DLMP Roch 3050 Superior Drive	C7028846-DLMP Rochester 3050 Superior Drive			
Printed 03/07/2013 10:01	Rochester, MN 55901				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Soybean IgG	Н	3.0	REPORTED 01/ mcg/mL	09/2013 14:44	Y16
					5

The reference range listed on the report is the lower limit of quantitation for the assay. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. * This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FSOYG	01/08/2013	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT