

## **Laboratory Service Report**

## 1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #	
SAMPLEREPORT,FIGA	SA00052647	46	M	SA00052647	
Ordering Phys CLIENT,CLIENT				<b>DOB</b> 05/25/1966	
Client Order # SA00052647	Account Information			Report Notes	
<b>Collected</b> 01/10/2013	3050 Superior Drive	· · ·			
<b>Printed</b> 03/07/2013 10:36	Rochester, MN 55901				

r	'est	Flag	Results	Unit	Reference Value	Perform Site*
				REPORTED 01/	11/2013 12:52	
Anti-IgA		H	275	U/mL	<113	Y16 5

Patients with IgG antibodies against IgA may suffer from anaphylactoid reactions when given IVIG that contains small quantities of IgA. In one study (Clinical Immunology 2007;122:156) five out of eight patients with IgG anti-IgA antibodies developed anaphylactoid reactions when IVIG was administered.

\* This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

## \* Performing Site:

V165	Viracor IBT Laboratories, Interface	Lab Director:	
Y 165	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT,FIGA	01/10/2013	Final
Page 1 of 1		** End of Report **

<sup>\*</sup> Report times for Mayo performed tests are CST/CDT