

Laboratory Service Report

1-800-533-1710

Patient Name	Patient ID	Age	Gender	Order #
SAMPLEREPORT, FSCNE NEGATIVE	SA00053066	42	M	SA00053066
Ordering Phys CLIENT, CLIENT		•	•	DOB 11/09/1970
Client Order # SA00053066	Account Information			Report Notes
Collected 01/24/2013 13:00	C7028846-DLMP Rochester 3050 Superior Drive	•		
Printed 03/13/2013 14:51	Rochester, MN 55901			

Test	Flag	Results	Unit	Reference Value	Perform Site*
	REPORTED 01/25/2013 13:04				
Sugar Cane IgE		0.10	kU/L	<0.35	Y16
					5
Class		0/1			Y16
					5

 $^{^{\}star}$ This test was developed and its performance characteristics determined by Viracor-IBT Laboratories. It has not been cleared or approved by the FDA.

* Performing Site:

V16E	Viracor IBT Laboratories, Interface	Lab Director:	
1 100	1001 NW Technology Dr Lee's Summit, MO 64086	Lab Director:	

Patient Name	Collection Date and Time	Report Status
SAMPLEREPORT, FSCNE NEGATIVE	01/24/2013 13:00	Final
Page 1 of 1		** End of Report **

^{*} Report times for Mayo performed tests are CST/CDT